

Shredding, Laminating & Binding





Auto Feed Shredders

Spend 98% less time shredding,
save time and money



STACK SHUT DONE

*98 % saving when using an Auto+ 500X compared to a traditional feed shredder in a similar price level.
Independent test from Intertek Testing & Certification Ltd June 2012. ©2012 ACCO Brands. All rights reserved.

1. Where will the shredder be located and how many people will use it?

| | | | | |
|---------------------------------|--------------------------------|--------------------------------|---------------------------|-------------------------|
| Personal/Executive 1-2 users | Small Office Up to 10 users | Departmental Up to 20 users | Large Office 20+ users | Wide Entry 20+ users |
|---------------------------------|--------------------------------|--------------------------------|---------------------------|-------------------------|

2. Which type of feed: Auto Feed or Manual?



STACK - the sheets in the top of the shredder
SHUT - the lid
DONE - now get on with something else!



Shreds up to a certain number of sheets in a single feed

3. What security level should you have?

| | | | | | |
|---|--|---|---|--|--|
| Basic Security P-2 STRIP CUT For day to day paperwork containing non-sensitive information. Cuts 1 A4 sheet into 40 pieces | General Security P-3 CROSS CUT For day to day paperwork containing sensitive information. Cuts 1 A4 sheet into approx. 200 pieces | Confidential Security P-4 CROSS CUT For business documents containing proprietary information and/or sensitive personal information. Cuts 1 A4 sheet into approx. 400 pieces | High Security P-5 MICRO CUT For confidential business documents with ID, financial and strategic information. SMALLER PARTICLE CUT MEANS GREATER BIN CAPACITY. Cuts 1 A4 sheet into approx. 2,000 pieces | Ultra High Security P-6 SUPER MICRO CUT For very sensitive information containing financial, legal, military and proprietary information. Cuts 1 A4 sheet into approx. 6,000 pieces | Top Secret Security P-7 TOP SECRET For top secret government and military documents. Cuts 1 A4 sheet into approx. 15,600 pieces |
|---|--|---|---|--|--|

4. Select paper feed capacity and bin size.

A higher paper feed capacity means less time spent shredding. A larger bin allows more shredding before emptying the bin.



5. Other features/icons to look out for to help choose the best shredder include:



MERCURY JAM FREE SHREDDING
Jam Free shredders continuously check whether you're trying to feed too much paper. A red light indicates too much paper and a green light indicates that there is no risk of jamming. No time wasted. No mess made.



AUTO JAM CLEARANCE
Automatically clears jams.



CONTINUOUS OPERATION
Shredder can be used continuously; no cool down means no wasted time.



ULTRA QUIET
Shredder designed to have ultra quiet operation, ideal for shared environments.



INTELLIGENT SELF OIL
Oils the cutting head automatically when required to provide better shred performance and a longer shredder life.



INTELLIGENT POWER SAVE
Shredder automatically switches off after a short time to conserve power consumption.



AUTO REVERSE
Returns paper that is too thick or too many sheets for shredder to accept.



RECYCLING BAGS
Recyclable paper bags available for this product for the easiest way to empty and recycle your shredded paper.



LARGE BIN CAPACITY
Extra large bin for less emptying.



SELF CLEANING
Cutters are self cleaning to remove loose pieces of paper and prevent paper jams.

In addition, other useful features may include: shredding staples, paperclips, credit cards, and CDs. For warranty information please visit www.rexeurope.com

How to Choose a Shredder

Blue text indicates Auto Feed technology
Green text indicates Jam Free technology



| 1 NUMBER OF USERS | 2 FEED TYPE | 3 CUT TYPE | PRODUCTS |
|-------------------------------------|----------------|---------------------|--|
| Personal/ Executive 1-2 users | Auto Feed | CROSS CUT P-3 | Auto+ 60X, Auto+ 80X, Auto+ 100X |
| | Auto Feed | MICRO CUT P-5 | Auto+ 100M |
| | Manual | STRIP CUT P-1 | Alpha SC, ProStyle+ SC |
| | Manual | STRIP CUT P-2 | OfficeMaster SC170, Whisper V30WS, Promax V60WS, RES1223, RES1523 |
| | Manual | CROSS CUT P-3 | OfficeMaster CC175, Whisper V35WS, REX1023, |
| | Manual | CROSS CUT P-4 | Alpha CC, Promax V65WS, Style, Style+, ProStyle, ProStyle+ 5, ProStyle+ 7, ProStyle+ 12, REX1323 |
| Small Office Up to 10 users | Manual | MICRO CUT P-5 | REM723, REM820 |
| | Auto Feed | CROSS CUT P-4 | Auto+ 200X, Auto+ 300X |
| | Auto Feed | MICRO CUT P-5 | Auto+ 300M |
| | Manual | STRIP CUT P-2 | V120, P180CD, RSS2434 |
| Departmental Up to 20 users | Manual | CROSS CUT P-4 | RSX1834, V125, P185 |
| | Manual | MICRO CUT P-5 | RSM1130 |
| | Auto Feed | CROSS CUT P-4 | Auto+ 500X |
| | Auto Feed | MICRO CUT P-5 | Auto+ 500M |
| | Manual | STRIP CUT P-2 | RDS2250, RDS2270 |
| Large Office 20+ users | Manual | CROSS CUT P-3 | RDY1850, RDX2070 |
| | Manual | MICRO CUT P-5 | RDM1150, RDM1170 |
| | Manual | SUPER MICRO CUT P-6 | RDSM750, RDSM770 |
| | Auto Feed | CROSS CUT P-4 | Auto+ 750X |
| | Auto Feed | MICRO P-5 | Auto+ 750M |
| Wide Entry 20+ users | Manual | STRIP CUT P-2 | RLS32 |
| | Manual | CROSS CUT P-4 | RLX20 |
| | Manual | MICRO CUT P-5 | RLM11 |
| | Manual | SUPER MICRO CUT P-6 | RLSM9 |

Further consideration should be made for Bin Size and Sheet Capacity when selecting the right shredder.

Up to 98% less time shredding

The innovative line of Auto Feed Cross Cut and Micro Cut Shredders

Most Secure
Best ✓
P-5 Micro Cut
P-4 Cross Cut
P-3 Cross Cut
P-2 Strip Cut
P-1 Strip Cut



| FEATURE COMPARISON | | LIGHT USE | | | EVERYDAY USE | | | HEAVY USE | | | | | |
|--|---------------------|---------------------|---------------------|---------|---------------------|-----------|---------------------|-----------|-------------------|---------|-------------------|---------|--|
| Model | 60X | 80X | 100X | 100M | 200X | 300X | 300M | 500X | 500M | 750X | 750M | | |
| Security Level | P-3 | | P-3 | P-5 | P-4 | P-4 | P-5 | P-4 | P-5 | P-4 | P-5 | | |
| Bin Capacity (Sheets) | 100 | 150 | 250 | 300 | 360 | 450 | 500 | 850 | 1000 | 1100 | 1350 | | |
| Users | 1 | | 1-2 | | 1-5 | | 5-10 | | 10-20 | | 20+ | | |
| Use | Personal | | Executive | | Small Office | | Small Office | | Departmental | | Large Office | | |
| HANDS FREE SHREDDING | | | | | | | | | | | | | |
| Sheet Capacity 80gsm | 60 | 80 | 100 | | 200 | | 300 | | 500 | | 750 | | |
| Sheet Capacity 70gsm (as per leading competitor) | 100 | 125 | 150 | | 250 | | 350 | | 650 | | 850 | | |
| Staples & Paper Clips | ✓ | ✓ | ✓ | | ✓ | | ✓ | | ✓ | | ✓ | | |
| Auto Jam Clearance | | ✓ | ✓ | | ✓ | | ✓ | | ✓ | | ✓ | | |
| Lockable Chamber | | | | | Optional | | ✓ | | ✓ | | ✓ | | |
| Oversized Paper Chamber ¹ | | | | | | | | | ✓ | | ✓ | | |
| MANUAL FEED SHREDDING | | | | | | | | | | | | | |
| Manual Feed Sheet Capacity | 5 | 6 | 6 | | 7 | | 8 | | 10 | 9 | 12 | 10 | |
| Jam Free Technology | | | | | | | ✓ | | ✓ | | ✓ | | |
| Bin Capacity (Litres) | 15L | 20L | 26L | | 32L | | 40L | | 80L | | 115L | | |
| Shreds Credit Cards | ✓ | ✓ | ✓ | | ✓ | | ✓ | | ✓ | | ✓ | | |
| Pull-out Bin | ✓ | ✓ | ✓ | | ✓ | | ✓ | | ✓ (frame) | | ✓ (frame) | | |
| Ultra Quiet (<60db) | ✓ | ✓ | ✓ | | ✓ | | ✓ | | ✓ | | ✓ | | |
| Intelligent™ Power Save | | ✓ | ✓ | | ✓ | | ✓ | | ✓ | | ✓ | | |
| Bin Full Indicator | | ✓ | ✓ | | ✓ | | ✓ | | ✓ | | ✓ | | |
| Illuminated Status Symbols | | | ✓ | | ✓ | | ✓ | | ✓ | | ✓ | | |
| Shreds CDs | | | | | ✓ | | ✓ | | ✓ | | ✓ | | |
| Castors for Mobility | | | | | ✓ | | ✓ | | ✓ | | ✓ | | |
| Intelligent™ SelfOil™ | | | | | | | | | ✓ | | ✓ | | |
| Continuous Operation | | | | | | | | | ✓ | | ✓ | | |
| Product Code: | 2103060 | 2103080 | 2102559 / 2104100 | | 2103175 | | 2103250 / 2104300 | | 2103500 / 2104500 | | 2103750 / 2104750 | | |
| Recyclable Waste Sacks | - | 1765028EU | | 2102577 | | 1765031EU | | 1765029EU | | 2105902 | | 2105903 | |
| Plastic Waste Sacks | - | - | - | | - | | 40060 | | 40095 | | 40095 | | |
| Rexel Oil | 2101948 (12/sheets) | 2101948 (12/sheets) | 2101948 (12/sheets) | | 2101949 (20/sheets) | | 2101949 (20/sheets) | | 1760049 (bottle) | | 1760049 (bottle) | | |

High Security Auto Feed Shredders

World Leader
in Auto Feed
Shredding



Auto Feed 750M - Micro-Cut Model
Shred up to 850 sheets automatically in to 2000 pieces each - ideal for large office use

- Pin code lock for ultimate confidence & security
- Easy to empty 115 litre bin can hold up to 1,350 shredded sheets
- Micro cut - shreds into approx. 2,000 pieces per A4 sheet (security P-5)
- Intelligent self oiling
- Continuous operation
- Manual feed slot with Jam Free technology for quick shredding of up to 10 sheets

20+ users



| Model | Product Code | |
|------------|--------------|------|
| Auto+ 750M | 2104750 | Each |



Auto Feed 500M - Micro-Cut Model
Shred up to 650 sheets automatically in to 2000 pieces each - ideal for departmental use

- Pin code lock for ultimate confidence & security
- Easy to empty 80 litre bin can hold up to 1,000 shredded sheets
- Micro cut - shreds in to approx. 2,000 pieces per A4 sheet (security P-5)
- Intelligent self oiling
- Continuous operation
- Manual feed slot with Jam Free technology for quick shredding of up to 9 sheets

10-20 users



| Model | Product Code | |
|------------|--------------|------|
| Auto+ 500M | 2104500 | Each |



Auto Feed 300M - Micro-Cut Model
Shred up to 350 sheets automatically in to 2000 pieces each - ideal for small office use

- Pin code lock for ultimate confidence & security
- Easy to empty 40 litre bin can hold up to 500 shredded sheets
- Micro cut - shreds in to approx. 2,000 pieces per A4 sheet (security P-5)
- Manual feed slot with Jam Free technology for quick shredding of up to 8 sheets
- Holds plastic and paper bags

5-10 users



| Model | Product Code | |
|------------|--------------|------|
| Auto+ 300M | 2104300 | Each |



Auto Feed 100M - Micro-Cut Model
Shred up to 150 sheets automatically in to 2000 pieces each - ideal for personal/executive use

- Easy to empty 26 litre bin and can hold up to 300 shredded sheets
- Micro cut - shreds in to approx. 2,000 pieces per A4 sheet (security P-5)
- Bin full indicator
- Manual feed slot for up to 6 sheets

1-2 users



| Model | Product Code | |
|------------|--------------|------|
| Auto+ 100M | 2104100 | Each |

| Description | Auto+ 750M | Auto+500M | Auto+ 300M | Auto+ 100M |
|--|-------------------|-------------------|------------------|-------------------|
| Sheet Capacity (80gsm) | 750 | 500 | 300 | 100 |
| Sheet Capacity (70gsm) as per leading competitor | 850 | 650 | 350 | 150 |
| Security Level | P-5 | P-5 | P-5 | P-5 |
| Shred Size | 2 x 15mm | 2 x 15mm | 2 x 15mm | 2 x 15mm |
| Entry Width | A4 | A4 | A4 | A4 |
| Bin Capacity (Litres) | 115 | 80 | 40 | 26 |
| Staples/Paperclips | Yes | Yes | Yes | Yes |
| Credit Cards | Yes | Yes | Yes | Yes |
| CDs | Yes | Yes | Yes | No |
| Dimensions HxWxD | 940 x 520 x 510mm | 810 x 520 x 510mm | 650 x 350 x 490 | 430 x 312 x 448mm |
| Recyclable Paper Sacks | 2105903 | 2105902 | 1765029EU | 2102577 |
| Plastic Waste Sacks | 40095 | 40095 | 40060 | NA |
| Rexel Oil | 1760049 (bottle) | 1760049 (bottle) | 2101949 (sheets) | 2101948 (sheets) |



Register your products online @ www.rexeurope.com/register

Auto Feed Shredders

Spend 98% less time shredding, save time and money



Auto Feed 750X

- Shred up to 850 sheets automatically in to 400 pieces each - ideal for large office use**
- Pin code lock for ultimate confidence & security
 - Easy to empty 115 litre bin can hold up to 1,100 shredded sheets
 - Cross cut - shreds in to approx. 400 pieces per A4 sheet (security P-4)
 - Intelligent self oiling
 - Manual feed slot with Jam Free technology for quick and efficient shredding of up to 12 sheets

| Model | Product Code | |
|------------|--------------|------|
| Auto+ 750X | 2103750 | Each |


Auto Feed 500X

- Shred up to 650 sheets automatically in to 400 pieces each - ideal for departmental use**
- Pin code lock for ultimate confidence & security
 - Easy to empty 80 litre bin can hold up to 850 shredded sheets
 - Cross cut - shreds approx. 400 pieces per A4 sheet (security P-4)
 - Intelligent self oiling
 - Manual feed slot with Jam Free technology for quick and efficient shredding of up to 10 sheets



Auto Feed 300X

- Shred up to 350 sheets automatically in to 400 pieces each - ideal for small office use**
- Pin code lock for ultimate confidence & security
 - Easy to empty 40L holds 450 sheets
 - Cross cut - shreds approx. 400 pieces per A4 sheet (security P-4)
 - Manual feed slot with Jam Free technology for quick and efficient shredding of up to 8 sheets
 - Castors for mobility
 - Holds plastic and paper bags



| Model | Product Code | |
|------------|--------------|------|
| Auto+ 300X | 2103500 | Each |



5-10 users

| Model | Product Code | |
|------------|--------------|------|
| Auto+ 300X | 2103250 | Each |

| Description | Auto+ 750X | Auto+500X | Auto+ 300X |
|--|-------------------|-------------------|-------------------|
| Sheet Capacity (80gsm) | 750 | 500 | 300 |
| Sheet Capacity (70gsm) as per leading competitor | 850 | 650 | 350 |
| Security Level | P-4 | P-4 | P-4 |
| Shred Size | 4 x 40mm | 4 x 40mm | 4 x 40mm |
| Entry Width | A4 | A4 | A4 |
| Bin Capacity (Litres) | 115 | 80 | 40 |
| Staples/Paperclips/Credit Cards | Yes | Yes | Yes |
| CDs | Yes | Yes | Yes |
| Dimensions HxWxD | 940 x 520 x 510mm | 810 x 520 x 510mm | 650 x 350 x 490mm |
| Recyclable Paper Sacks | 2105903 | 2105902 | 1765029EU |
| Plastic Waste Sacks | 40095 | 40095 | 40060 |
| Rexel oi | 1760049 (bottle) | 1760049 (bottle) | 2101949 (sheets) |

*98% saving when using an Auto+ 500X compared to a traditional feed shredder in a similar price level. Independent test from Intertek Testing & Certification Ltd June 2012. ©2012 ACCO Brands. All rights reserved.



Register your products online @ www.rexeurope.com/register

Auto Feed Shredders

Spend 98% less time shredding, save time and money



Auto Feed 200X

- Shred up to 250 sheets automatically in to 400 pieces each - ideal for small office use**
- Easy to empty 32 litre bin can hold up to 360 shredded sheets
 - Cross cut - shreds approx 400 pieces per A4 sheet (security P-4)
 - Manual feed slot for quick and efficient shredding of up to 7 sheets

| Model | Product Code | |
|------------|--------------|------|
| Auto+ 200X | 2103175 | Each |



Auto Feed 100X

- Shred up to 150 sheets automatically in to 200 pieces each - ideal for personal/executive use**
- Easy to empty 26 litre bin can hold up to 250 shredded sheets
 - Cross cut - shreds approx. 200 pieces per A4 sheet (security P-3)
 - Manual feed slot for quick and efficient shredding of up to 6 sheets



1-2 users

| Model | Product Code | |
|------------|--------------|------|
| Auto+ 100X | 2102559 | Each |



Auto Feed 80X

- Shred up to 125 sheets automatically in to 200 pieces each - ideal for personal use**
- Easy to empty 20 litre bin can hold up to 150 shredded sheets
 - Cross cut - shreds approx. 200 pieces per A4 sheet (security P-3)
 - Manual feed slot for quick and efficient shredding of up to 6 sheets



1 user

| Model | Product Code | |
|-----------|--------------|------|
| Auto+ 80X | 2103080 | Each |



Auto Feed 60X

- Shred up to 100 sheets automatically in to 200 pieces each - ideal for personal use**
- Easy to empty 15 litre bin can hold up to 100 shredded sheets
 - Cross cut - shreds approx. 200 pieces per A4 sheet (security P-3)
 - Manual feed slot for quick and efficient shredding of up to 5 sheets



1 user

| Model | Product Code | |
|-----------|--------------|------|
| Auto+ 60X | 2103060 | Each |

| Description | Auto+ 200X | Auto+100X | Auto+ 80X | Auto+ 60X |
|--|-------------------|-------------------|-------------------|-------------------|
| Sheet Capacity (80gsm) | 200 | 100 | 80 | 60 |
| Sheet Capacity (70gsm) as per leading competitor | 250 | 150 | 125 | 100 |
| Security Level | P-4 | P-3 | P-3 | P-3 |
| Shred Size | 4 x 40mm | 4 x 50mm | 4 x 45mm | 4 x 45mm |
| Entry Width | A4 | A4 | A4 | A4 |
| Bin Capacity (Litres) | 32 | 26 | 20 | 15 |
| Staples/Paperclips/Credit Cards | Yes | Yes | Yes | Yes |
| Credit Cards | Yes | Yes | Yes | Yes |
| CDs | Yes | No | No | No |
| Dimensions HxWxD | 515 x 350 x 490mm | 430 x 312 x 448mm | 395 x 295 x 430mm | 350 x 295 x 430mm |
| Recyclable Waste Sacks | 1765031EU | 2102577 | 1765028EU | - |
| Rexel oil | 2102948 (sheets) | 2101948 (sheets) | 2101948 (sheets) | 2101948 (sheets) |

*98% saving when using an Auto+ 500X compared to a traditional feed shredder in a similar price level. Independent test from Intertek Testing & Certification Ltd June 2012. ©2012 ACCO Brands. All rights reserved.



Register your products online @ www.rexeurope.com/register

Wide Entry Shredders



RLWSFM9

RLWSFM9

- Shreds up to 9 A4-sheets in one pass (80gsm)
- 0.8x5mm top secret confidential (security P-7)
- Large 175 litre capacity bin holds 2500 sheets
- Cuts A4 into more than 15,600 pieces
- Auto reverse and power cut
- Continuous operation
- Auto oiling system



20+ users

| Model | Product Code | |
|---------|--------------|------|
| RLWSFM9 | 2103009 | Each |

RLWM26

- Shreds up to 26 A4-sheets in one pass (80gsm)
- 1.9x15mm micro cut pieces for sensitive documents (security P-5)
- Cuts A4 into approx 2000 pieces
- Pull out frame for 225 litre bags OR 175 litre capacity bin, holds up to 2100 sheets
- Auto reverse and power cut
- Continuous operation
- Auto oiling system



20+ users

| Model | Product Code | |
|--------|--------------|------|
| RLWM26 | 2103026 | Each |

RLWX39

- Shreds up to 39 A4-sheets in one pass (80gsm)
- 4x40mm cross cut pieces (security P-4)
- Pull out frame for 225 litre bags OR 175 litre capacity bin, holds up to 2000 sheets
- Auto reverse
- Continuous operation
- Auto oiling system



20+ users

| Model | Product Code | |
|--------|--------------|------|
| RLWX39 | 2103039 | Each |

RLWX25

- Shreds up to 25 A4-sheets in one pass (80gsm)
- 4x40mm cross cut pieces (security P-4)
- Large capacity 175 litre plastic bin, holds up to 1800 sheets
- Auto cut out when bin is full
- Continuous operation



20+ users

| Model | Product Code | |
|--------|--------------|------|
| RLWX25 | 2103025 | Each |



RLWX25

RLWS47

- Shreds up to 47 A4-sheets in one pass (80gsm)
- 6mm strip cut (security P-2)
- Pull out frame for 225 litre bags OR 175 litre capacity bin, holds up to 1700 sheets
- Auto reverse and power cut
- Continuous operation
- Auto oiling system



20+ users

| Model | Product Code | |
|--------|--------------|------|
| RLWS47 | 2103047 | Each |

RLWS35

- Shreds up to 35 A4-sheets in one pass (80gsm)
- 6mm strip cut (security P-2)
- Large capacity 175 litre plastic bin, holds up to 1500 sheets
- Auto cut out when bin is full
- Continuous operation



20+ users

| Model | Product Code | |
|--------|--------------|------|
| RLWS35 | 2103035 | Each |

| Description | RLWSFM9 | RLWM26 | RLWX39 | RLWX25 | RLWS47 | RLWS35 |
|------------------------|--------------------|--------------------|--------------------|-------------------|--------------------|-------------------|
| Shred Capacity (80gsm) | 9 | 26 | 39 | 25 | 47 | 35 |
| Security Level | P-7 | P-5 | P-4 | P-4 | P-2 | P-2 |
| Shred Size | 0.8x5mm | 1.9x15mm | 4x40mm | 4x40mm | 6mm strip | 6mm strip |
| Bin Capacity (Litres) | 175 | 225 | 225 | 175 | 225 | 175 |
| Bin Capacity (Sheets) | 2500 | 2100 | 2000 | 1800 | 1700 | 1500 |
| Staples/Paperclips | No | Yes | Yes | Yes | Yes | Yes |
| Credit Cards | No | Yes | Yes | No | Yes | Yes |
| CDs | No | Yes | Yes | Yes | Yes | Yes |
| Dimensions HxWxD | 1010 x 640 x 590mm | 1010 x 640 x 590mm | 1010 x 640 x 590mm | 970 x 640 x 590mm | 1010 x 640 x 590mm | 970 x 640 x 590mm |
| Plastic Waste Sacks | 40014 | 40014 | 40014 | 40014 | 40014 | 40014 |
| Rexel Oil | 4400050 (bottle) | 4400050 (bottle) | 4400050 (bottle) | 4400050 (bottle) | 4400050 (bottle) | 4400050 (bottle) |



Register your products online @ www.rexeurope.com/register

Large Office Shredders



Mercury RLSM9

Mercury RLSM9

- Shreds up to 9 sheets in one pass (80gsm)
- 0.8x11mm super micro cut pieces for highly sensitive documents (security P-6)
- Cuts A4 into more than 7000 pieces
- Easy to empty pull out frame for bags
- Door open/bin full indicator
- Auto shut down after 2 minutes of non use
- Auto oiling system



20+ users

| Model | Product Code | |
|---------------|--------------|------|
| Mercury RLSM9 | 2102452 | Each |

Mercury RLM11

- Shreds up to 11 sheets in one pass (80gsm)
- 1.9x15mm micro cut pieces for sensitive documents (security P-5)
- Cuts A4 into approx. 2000 pieces
- Easy to empty pull out frame for bags
- Door open/bin full indicator
- Auto shut down after 2 minutes of non use
- Auto oiling system



20+ users

| Model | Product Code | |
|---------------|--------------|------|
| Mercury RLM11 | 2102449 | Each |



Mercury RLM11

Mercury RLX20

- Shreds up to 20 sheets in one pass (80gsm)
- 4x40mm cross cut pieces (security P-4)
- Easy to empty pull out frame for bags
- Door open/bin full indicator
- Continuous operation
- Auto shut down after 2 minutes of non use
- Auto oiling system



20+ users

| Model | Product Code | |
|---------------|--------------|------|
| Mercury RLX20 | 2102446 | Each |

Mercury RLS32

- Shreds up to 32 sheets in one pass (80gsm)
- 5.8mm strip cut (security P-2)
- Easy to empty pull out frame for bags
- Door open/bin full indicator
- Continuous operation
- Auto shut down after 2 minutes of non use
- Auto oiling system



20+ users

| Model | Product Code | |
|---------------|--------------|------|
| Mercury RLS32 | 2102443 | Each |

| Description | RLSM9 | RLM11 | RLX20 | RLS32 |
|------------------------|------------------|------------------|------------------|------------------|
| Shred Capacity (80gsm) | 9 | 11 | 20 | 32 |
| Security Level | P-6 | P-5 | P-4 | P-2 |
| Shred Size | 0.8x11mm | 1.9x15mm | 4x40mm | 5.8mm strip |
| Bin Capacity (Litres) | 115 | 115 | 115 | 115 |
| Bin Capacity (Sheets) | 1250 | 1200 | 1100 | 950 |
| Staples/Paperclips | Not recommended | Yes | Yes | Yes |
| Credit Cards | Yes | Yes | Yes | Yes |
| CDs | Yes | Yes | Yes | Yes |
| Dimensions HxWxD | 905 x 540 x 530 | 905 x 540 x 530 | 905 x 540 x 530 | 905 x 540 x 530 |
| Recyclable Sacks | 2102248 | 2102248 | 2102248 | 2102248 |
| Plastic Waste Sacks | 40070 | 40070 | 40070 | 40070 |
| Oil | 1760049 (bottle) | 1760049 (bottle) | 1760049 (bottle) | 1760049 (bottle) |



Register your products online @ www.rexeurope.com/register



Mercury RDSM750

Jam Free
Technology - ending
No. 1 consumer
frustration



Mercury RDSM770

- Shreds up to 7 sheets in one pass (80gsm)
- 0.8x11mm micro cut pieces for extremely confidential documents (security P-6)
- Cuts A4 into approx. 6000 pieces
- 70L pull out frame for bags
- Auto shut off after 2 minutes of non use
- Continuous operation
- Auto oiling system



10-20
users

| Model | Product Code | |
|-----------------|--------------|------|
| Mercury RDSM770 | 2102566 | Each |

Mercury RDM1170

- Shreds up to 11 sheets in one pass (80gsm)
- 1.9x15mm micro cut pieces for confidential business documents (security P-5)
- Cuts A4 into approx. 2000 pieces
- 70L pull out frame for bags
- Auto shut off after 2 minutes of non use
- Continuous operation
- Auto oiling system



10-20
users

| Model | Product Code | |
|-----------------|--------------|------|
| Mercury RDM1170 | 2102565 | Each |

Mercury RDSM750

- Shreds up to 7 sheets in one pass (80gsm)
- 0.8x11 super micro cut pieces for extremely confidential documents (security P-6)
- Cuts A4 into approx. 6000 pieces
- 50L pull out frame for bags
- Auto shut off after 2 minutes of non use
- Continuous operation
- Auto oiling system



10-20
users

| Model | Product Code | |
|-----------------|--------------|------|
| Mercury RDSM750 | 2102429 | Each |

Mercury RDM1150

- Shreds up to 11 sheets in one pass (80gsm)
- 1.9x15mm micro cut pieces for confidential business documents (security P-5)
- Cuts A4 into approx. 2000 pieces
- 50L pull out frame for bags
- Auto shut off after 2 minutes of non use
- Continuous operation
- Auto oiling system



10-20
users

| Model | Product Code | |
|-----------------|--------------|------|
| Mercury RDM1150 | 2102425 | Each |

| Description | RDSM770 | RDM1170 | RDSM750 | RDM1150 |
|------------------------|-------------------|-------------------|-------------------|-------------------|
| Shred Capacity (80gsm) | 7 | 11 | 7 | 11 |
| Security Level | P-6 | P-5 | P-6 | P-5 |
| Shred Size | 0.8x11mm | 1.9x15mm | 0.8x11mm | 1.9x15mm |
| Bin Capacity (Litres) | 70 | 70 | 50 | 50 |
| Bin Capacity (Sheets) | 950 | 900 | 550 | 500 |
| Staples/Paperclips | No | Yes | No | Yes |
| Credit Cards | No | No | No | No |
| CDs | No | No | No | No |
| Dimensions HxWxD | 782 x 480 x 434mm | 782 x 480 x 434mm | 634 x 480 x 367mm | 634 x 480 x 367mm |
| Recylable Sacks | 2102442 | 2102442 | 2102441 | 2102441 |
| Plastic Waste Sacks | 40070 | 40070 | 40060 | 40060 |
| Oil | 1760049 (bottle) | 1760049 (bottle) | 1760049 (bottle) | 1760049 (bottle) |



Register your products online @ www.rexeurope.com/register



Mercury RDSM770

Jam Free
Technology - ending
No. 1 consumer
frustration



Mercury RDX2070

- Shreds up to 20 sheets in one pass (80gsm)
- 4x45mm cross cut pieces (security P-3)
- 70L pull out frame for bags
- Auto shut off after 2 minutes of non use
- Continuous operation
- Shreds CDs and credit cards
- Auto oiling system



10-20
users

| Model | Product Code | |
|-----------------|--------------|------|
| Mercury RDX2070 | 2102437 | Each |

Mercury RDX1850

- Shreds up to 18 sheets in one pass (80gsm)
- 4x45mm cross cut pieces (security P-3)
- 50L pull out frame for bags
- Auto shut off after 2 minutes of non use
- Continuous operation
- Auto oiling system
- Shreds also CDs and credit cards



10-20
users

| Model | Product Code | |
|-----------------|--------------|------|
| Mercury RDX1850 | 2102421 | Each |

Mercury RDS2270

- Shreds up to 22 sheets in one pass (80gsm)
- 5.8mm strip cut (security P-2)
- 70L pull out frame for bags
- Auto shut off after 2 minutes of non use
- Continuous operation
- Shreds CDs and credit cards



10-20
users

| Model | Product Code | |
|-----------------|--------------|------|
| Mercury RDS2270 | 2102433 | Each |

Mercury RDS2250

- Shreds up to 22 sheets in one pass (80gsm)
- 5.8mm strip cut (security P-2)
- 50L pull out frame for bags
- Auto shut off after 2 minutes of non use
- Continuous operation
- Shreds CDs and credit cards



10-20
users

| Model | Product Code | |
|-----------------|--------------|------|
| Mercury RDS2250 | 2102417 | Each |

| Description | RDX2070 | RDX1850 | RDS2270 | RDS2250 |
|------------------------|-------------------|-------------------|-------------------|-------------------|
| Shred Capacity (80gsm) | 20 | 18 | 22 | 22 |
| Security Level | P-3 | P-3 | P-2 | P-2 |
| Shred Size | 4x45mm | 4x45mm | 5.8mm strip | 5.8mm strip |
| Bin Capacity (Litres) | 70 | 50 | 70 | 50 |
| Bin Capacity (Sheets) | 850 | 450 | 600 | 400 |
| Staples/Paperclips | Yes | Yes | Yes | Yes |
| Credit Cards | Yes | Yes | Yes | Yes |
| CDs | Yes | Yes | Yes | Yes |
| Dimensions HxWxD | 782 x 480 x 434mm | 634 x 480 x 367mm | 782 x 480 x 434mm | 634 x 480 x 367mm |
| Recylable Sacks | 2102442 | 2101441 | 2102442 | 2102441 |
| Plastic Waste Sacks | 40070 | 40070 | 40070 | 40060 |
| Oil | 1760049 (bottle) | 1760049 (bottle) | 2101949 (sheets) | 1760049 (bottle) |



Register your products online @ www.rexeurope.com/register

No more jams with
Rexel shredders



Mercury RSM1130

- Shreds up to 11 sheets in one pass (80gsm)
- 1.9x15mm micro cut pieces (security P-5)
- Cuts A4 into approx. 2000 pieces
- Easy to empty 30 litre pull out bin can hold up to 310 sheets
- Auto shut off after 2 minutes of non use



| Model | Product Code | |
|---------|--------------|------|
| RSM1130 | 2102407 | Each |



Mercury RSM1130

REM723

- Shreds up to 7 sheets (80gsm)
- 1.9x15mm micro cut pieces (security P-5). Cuts A4 into more than 2000 pieces
- Easy to empty 23 litre bin with viewing window can hold up to 250 sheets
- Integral base-runners for easy removal from under desk
- Auto shut off after 2 minutes of non use



| Model | Product Code | |
|----------------|--------------|------|
| Mercury REM723 | 2102564 | Each |



Mercury REM723

| Description | RSM1130 | REM723 |
|------------------------|-------------------|------------------|
| Shred Capacity (80gsm) | 11 | 7 |
| Security Level | P-5 | P-5 |
| Shred Size | 1.9x15mm | 1.9x15mm |
| Bin Capacity (Litres) | 30 | 23 |
| Bin Capacity (Sheets) | 310 | 250 |
| Staple/ Paperclips | Yes | No |
| Credit Cards | No | No |
| CDs | No | No |
| Dimensions HxWxD | 550 x 416 x 332mm | 525 x350 x 495mm |
| Recylable Sacks | 2102063 | 2102247 |
| Oil | 2101948 (sheets) | 2101948 (sheets) |



Register your products online @ www.rexeurope.com/register

REM820

- Shreds up to 8 sheets in one pass (80gsm)
- High security micro cut shredder
- Easy to empty 21 litre bin can hold up to 220 sheets
- 1.9x15mm micro cut pieces for sensitive documents (security P-5)
- Cuts A4 into approx. 2000
- Door open/bin full indicator
- Auto shut down after 2 minutes of non use



| Model | Product Code | |
|----------------|--------------|------|
| Mercury REM820 | 2104010 | Each |

No more jams with
Rexel shredders



Mercury REX1023

- Shreds up to 10 sheets (80gsm)
- 4x50mm cross cut pieces (security P-3)
- Easy to empty 23 litre bin with viewing window can hold up to 210 sheets
- Integral base-runners for easy removal from under desk
- Auto shut off after 2 minutes of non use



| Model | Product Code | |
|-----------------|--------------|------|
| Mercury REX1023 | 2101995 | Each |



REX1023

Mercury RES1223

- Shreds up to 12 sheets (80gsm)
- 5.8mm strip cut (security P-2)
- Easy to empty 23 litre bin with viewing window can hold up to 190 sheets
- Integral base-runners for easy removal from under desk
- Auto shut off after 2 minutes of non use



| Model | Product Code | |
|-----------------|--------------|------|
| Mercury RES1223 | 2101994 | Each |



REM820

| Description | REM820 | REX1023 | RES1223 |
|------------------------|------------------|------------------|------------------|
| Shred Capacity (80gsm) | 8 | 10 | 12 |
| Security Level | P-5 | P-3 | P-2 |
| Shred Size | 1.9x15mm | 4x45mm | 5.8mm strip |
| Bin Capacity (Litres) | 20 | 23 | 23 |
| Bin Capacity (Sheets) | 220 | 210 | 190 |
| Staple/ Paperclips | Yes | Yes | Yes |
| Credit Cards | Yes | Yes | Yes |
| CDs | Yes | No | No |
| Dimensions HxWxD | 540x389x275mm | 413x270x471mm | 413x270x471mm |
| Recylable Sacks | NA | 2102247 | 2102247 |
| Oil | 2101948 (sheets) | 2101948 (sheets) | 2101948 (sheets) |



Register your products online @ www.rexeurope.com/register



NEW



Mercury RSX1834

NEW Mercury RSX1834

- Shreds up to 18 sheets in one pass (80gsm)
- 4 x 40mm cross cut pieces (security P-4)
- Larger 34 litre bin for longer shred before emptying is required
- Easy to empty pull out frame for bags
- Shreds CDs & credit cards
- Door open/bin full indicator
- Auto shut down after 2 minutes of non use



| Model | Product Code | |
|-----------------|--------------|------|
| Mercury RSX1834 | 2105018 | Each |

NEW Mercury REX1323

- Shreds up to 13 sheets in one pass (80gsm)
- 4 x 40mm cross cut pieces (security P-4)
- Larger 23 litre bin for longer shred before emptying is required
- Easy to empty pull out frame for bags
- Shreds CDs & credit cards
- Door open/bin full indicator
- Auto shut down after 2 minutes of non use



| Model | Product Code | |
|-----------------|--------------|------|
| Mercury REX1323 | 2105013 | Each |



NEW

NEW Mercury RSS2434

- Shreds up to 24 sheets in one pass (80gsm)
- 5.8mm strip pieces (security P-2)
- Larger 34 litre bin for longer shred before emptying is required
- Easy to empty pull out frame for bags
- Shreds CDs & credit cards
- Door open/bin full indicator
- Auto shut down after 2 minutes of non use



| Model | Product Code | |
|-----------------|--------------|------|
| Mercury RSS2434 | 2105024 | Each |

NEW Mercury RES1523

- Shreds up to 15 sheets in one pass (80gsm)
- 5.8mm strips cut pieces (security P-2)
- Larger 23 litre bin for longer shred before emptying is required
- Easy to empty pull out frame for bags
- Shreds CDs & credit cards
- Door open/bin full indicator
- Auto shut down after 2 minutes of non use



| Model | Product Code | |
|-----------------|--------------|------|
| Mercury RES1523 | 2105015 | Each |

| Description | RSX1834 | REX1323 | RSS2434 | RES1523 |
|------------------------|------------------|------------------|-----------------|------------------|
| Shred Capacity (80gsm) | 18 | 13 | 24 | 15 |
| Security Level | P-4 | P-4 | P-2 | P-2 |
| Shred Size | 4 x 40mm | 4 x 40mm | 5.8mm strip | 5.8mm strip |
| Bin Capacity (Litres) | 34 | 23 | 34 | 23 |
| Bin Capacity (Sheets) | 310 | 220 | 265 | 190 |
| Staple/ Paperclips | Yes | Yes | Yes | Yes |
| Credit Cards | Yes | Yes | Yes | Yes |
| CDs | Yes | Yes | Yes | Yes |
| Dimensions HxWxD | 610 x 398 x 320 | 530 x 350 x 500 | 610 x 398 x 320 | 530 x 350 x 500 |
| Recyclable Sacks | 2105901 | 2102247 | 2105901 | 2102247 |
| Oil | 2101948 (sheets) | 2101948 (sheets) | 210948 (sheets) | 2101948 (sheets) |



ProStyle+ 12

- Shreds up to 12 sheets in one pass (80gsm)
- 4x35mm cross cut pieces (security P-4)
- Easy to empty pull out 20 litre bin
- CD shredder with separate entry slot and container for the shredded CDs
- Shreds credit cards
- Bin window to alert user when bin needs emptying



| Model | Product Code | |
|--------------|--------------|------|
| ProStyle+ 12 | 2102563 | Each |

ProStyle+ 5

- Shreds up to 5 sheets in one pass (80 gsm)
- 4x40mm cross cut pieces (security P-4)
- Easy to empty 7.5 litre lift off bin (50 sheets)
- Bin window to alert the user when the bin needs emptied



| Model | Product Code | |
|-------------|--------------|------|
| ProStyle+ 5 | 2104005 | Each |



ProStyle+ 7

ProStyle+ 5



ProStyle+ SC

ProStyle+ 7

- Shreds up to 7 sheets in one pass (80 gsm)
- 4x25 mm cross cut pieces (security P-4)
- Easy to empty 12 litre lift off bin (80 sheets)
- Bin window to alert the user when the bin needs emptied



| Model | Product Code | |
|-------------|--------------|------|
| ProStyle+ 7 | 2104007 | Each |

ProStyle+ SC

- Shreds up to 7 sheets in one pass (80 gsm)
- 6.5 mm strip cut pieces (security P-1)
- Easy to empty 7.5 litre lift off bin (50 sheets)
- Bin window to alert the user when the bin needs emptied



| Model | Product Code | |
|--------------|--------------|------|
| ProStyle+ SC | 2104004 | Each |








| Description | ProStyle+ 12 | ProStyle+ 7 | ProStyle+ 5 | ProStyle SC |
|------------------------|-------------------|------------------|------------------|------------------|
| Shred Capacity (80gsm) | 12 | 7 | 5 | 7 |
| Security Level | P-4 | P-4 | P-4 | P-1 |
| Shred Size | 4x35mm | 4x45mm | 4x40mm | 6.5mm strip |
| Bin Capacity (Litres) | 20 | 12 | 7.5 | 7.5 |
| Bin Capacity (Sheets) | 200 | 80 | 50 | 50 |
| Staple/ Paperclips | Yes | Yes | Yes | Yes |
| Credit Cards | Yes | Yes | Yes | Yes |
| CDs | Yes | No | No | No |
| Dimensions HxWxD | 430 x 220 x 412mm | 430x 258x 428 | 360x170x320 | 360x170x320 |
| Oil | 2101948 (sheets) | 2101948 (sheets) | 2101948 (sheets) | 2101948 (sheets) |



- ProStyle**








 - Shreds up to 11 sheets in one pass (80gsm)
 - 4x35mm cross cut pieces (security P-4)
 - Easy to empty 20 litre pull out bin
 - Bin window to alert user when bin needs emptying
- Style+**

 - Shreds up to 7 sheets in one pass (80gsm)
 - 4x35mm cross cut pieces (security P-4)
 - Easy to empty 12 litre pull out bin
 - Bin window to alert user when bin needs emptying



1 user

| Model | Product Code | |
|----------|--------------|------|
| ProStyle | 2101808 | Each |










1 user

| Model | Product Code | |
|--------|--------------|------|
| Style+ | 2101946UK | Each |

- Style**

 - Shreds up to 5 sheets in one pass (80gsm)
 - 4x35mm cross cut pieces (security P-4)
 - Easy to empty 7.5 litre pull out bin
 - Bin window to alert user when bin needs emptying



1 user

| Model | Product Code | |
|-------|--------------|------|
| Style | 2101942UK | Each |








| Description | ProStyle | Style+ | Style |
|------------------------|-------------------|-------------------|-------------------|
| Shred Capacity (80gsm) | 11 | 7 | 5 |
| Security Level | P-4 | P-4 | P-4 |
| Shred Size | 4x35mm | 4x35mm | 4x35mm |
| Bin Capacity (Litres) | 20 | 12 | 7.5 |
| Bin Capacity (Sheets) | 200 | 80 | 50 |
| Staple/ Paperclips | Yes | Yes | Yes |
| Credit Cards | Yes | Yes | Yes |
| CDs | No | No | No |
| Dimensions HxWxD | 430 x 195 x 428mm | 430 x 258 x 428mm | 320 x 170 x 360mm |
| Oil | 2101948 (sheets) | 2101948 (sheets) | 2101948 (sheets) |



- Promax V65WS Compactor**








 - Shreds up to 5 sheets in one pass (80gsm)
 - 4x34mm cross cut pieces (security P-4)
 - Handy sized 23 litre bin
 - Unique compaction technology for more shredding and less emptying
- Whisper V35WS**

 - Shreds up to 5 sheets in one pass (80gsm)
 - 4x45mm cross cut pieces (security P-3)
 - Handy sized 18 litre bin
 - Ultra quiet operation (~58dBA)



1 user

| Model | Product Code | |
|-------|--------------|------|
| V65WS | 2101339 | Each |










1 user

| Model | Product Code | |
|-------|--------------|------|
| V35WS | 2101843 | Each |

- Promax V60WS Compactor**








 - Shreds up to 7 sheets in one pass (80gsm)
 - 5.8mm strip cut (security P-2)
 - Handy sized 23 litre bin
 - Unique compaction technology for more shredding and less emptying
- Whisper V30WS**

 - Shreds up to 7 sheets in one pass (80gsm)
 - 5.8mm strip cut (security P-2)
 - Handy sized 18 litre bin
 - Ultra quiet operation (~54dBA)



1 user

| Model | Product Code | |
|-------|--------------|------|
| V60WS | 2101337 | Each |



1 user

| Model | Product Code | |
|-------|--------------|------|
| V30WS | 2101842 | Each |

| Description | V65 | V35 | V60 | V30 |
|------------------------|-------------------|-------------------|-------------------|-------------------|
| Shred Capacity (80gsm) | 5 | 5 | 7 | 7 |
| Security Level | P-4 | P-3 | P-2 | P-2 |
| Shred Size | 4x34mm | 4x45mm | 5.8mm strip | 5.8mm strip |
| Bin Capacity (Litres) | 23 | 18 | 23 | 18 |
| Bin Capacity (Sheets) | 220 | 100 | 200 | 80 |
| Staple/ Paperclips | Yes | Yes | Yes | Yes |
| Credit Cards | Yes | No | Yes | No |
| CDs | No | No | No | No |
| Dimensions HxWxD | 480 x 350 x 240mm | 378 x 320 x 210mm | 480 x 350 x 240mm | 378 x 320 x 210mm |
| Oil | 2101948 (sheets) | 2101948 (sheets) | 2101948 (sheets) | 2101948 (sheets) |



V125



P180CD

V125

- Shreds up to 7 sheets in one pass (80gsm)
- 4x34mm cross cut pieces (security P-4)
- Easy to empty 35 litre bin can hold up to 250 sheets
- Can also shred credit cards and staples



| Model | Product Code | |
|-------|--------------|------|
| V125 | 2100884 | Each |

P185

- Shreds up to 9 sheets in one pass (80gsm)
- 4x40mm cross cut pieces (security P-4)
- Easy to empty 35 litre bin can hold up to 270 sheets
- Can also shred paperclips and staples



| Model | Product Code | |
|-------|--------------|------|
| P185 | 2100890 | Each |

V120

- Shreds up to 12 sheets in one pass (80gsm)
- 5.8mm strip cut (security P-2)
- Easy to empty 35 litre bin can hold up to 230 sheets



| Model | Product Code | |
|-------|--------------|------|
| V120 | 2100880 | Each |

P180CD

- Shreds up to 21 sheets in one pass (80gsm)
- 5.8mm strip cut (security P-2)
- Easy to empty 35 litre bin can hold up to 220 sheets
- Can also shred CDs, credit cards, paperclips and staples



| Model | Product Code | |
|--------|--------------|------|
| P180CD | 2100888 | Each |

| Description | V125 | V120 | P185 | P180CD |
|------------------------|-------------------|-------------------|-------------------|-------------------|
| Shred Capacity (80gsm) | 7 | 12 | 9 | 21 |
| Security Level | P-4 | P-2 | P-4 | P-2 |
| Shred Size | 4x34mm | 5.8mm strip | 4x40mm | 5.8mm strip |
| Bin Capacity (Litres) | 35 | 35 | 35 | 35 |
| Bin Capacity (Sheets) | 250 | 230 | 270 | 220 |
| Staple/ Paperclips | Yes | No | Yes | Yes |
| Credit Cards | Yes | No | No | Yes |
| CDs | No | No | No | Yes |
| Dimensions HxWxD | 485 x 420 x 280mm | 485 x 420 x 280mm | 560 x 420 x 280mm | 560 x 420 x 280mm |
| Oil | 2101948 (sheets) | 2101948 (sheets) | 2101948 (sheets) | 2101948 (sheets) |



Register your products online @ www.rexeurope.com/register



OfficeMaster SC170



Alpha Strip Cut

Alpha Cross Cut

OfficeMaster CC175

- Shreds up to 8 sheets in one pass (80gsm)
- 4x45mm cross cut pieces (security P-3)
- Easy to empty 22 litre pull out bin can hold up to 200 sheets
- Can also shred credit cards, paperclips and staples
- Handle for easy removal of shredder head



| Model | Product Code | |
|--------------------|--------------|------|
| OfficeMaster CC175 | 1758055 | Each |

OfficeMaster SC170

- Shreds up to 12 sheets in one pass (80gsm)
- 5.8mm strip cut (security P-2)
- Easy to empty 22 litre pull out bin can hold up to 180 sheets
- Can also shred credit cards, paperclips and staples
- Handle for easy removal of shredder head



| Model | Product Code | |
|--------------------|--------------|------|
| OfficeMaster SC170 | 1758025 | Each |

Alpha Cross Cut

- Shreds up to 5 sheets in one pass (80gsm)
- 4x38mm cross cut pieces (security P-4)
- Easy to empty sized 14 litre bin holds up to 60 sheets
- Can also shred credit cards



| Model | Product Code | |
|-----------------|--------------|------|
| Alpha Cross Cut | 2102023 | Each |

Alpha Strip Cut

- Shreds up to 5 sheets in one pass (80gsm)
- 7.2mm strip cut (security P-1)
- Handy sized 10 litre bin holds up to 30 sheets
- Can also shred credit cards



| Model | Product Code | |
|-----------------|--------------|------|
| Alpha Strip Cut | 2102020 | Each |

| Description | CC175 | Alpha Cross | SC170 | Alpha Strip |
|------------------------|-------------------|--------------------------------|-------------------|--------------------------------|
| Shred Capacity (80gsm) | 8 | 5 | 12 | 5 |
| Security Level | P-3 | P-4 | P-2 | P-1 |
| Shred Size | 4x45mm | 4x38mm | 5.8mm strip | 7.2mm strip |
| Bin Capacity (Litres) | 22 | 14 | 22 | 10 |
| Bin Capacity (Sheets) | 200 | 60 | 180 | 30 |
| Staple/ Paperclips | Yes | Staples only (not recommended) | Yes | Staples only (not recommended) |
| Credit Cards | Yes | Yes | Yes | Yes |
| CDs | No | No | No | No |
| Dimensions HxWxD | 502 x 382 x 258mm | 370 x 325 x 170mm | 502 x 382 x 258mm | 300 x 290 x 150mm |
| Oil | 2101948 (sheets) | 2101948 (sheets) | 2101948 (sheets) | 2101948 (sheets) |

Register your products online @ www.rexeurope.com/register



Excellence Accelerated

Get it right first time in half the time



GBC Fusion laminators are designed to keep you productive, with simple controls.
Professional quality output and lightning quick speed.







How to Choose a Laminator

Make sure that your important documents are protected, preserved and enhanced. Protect reference documents, training materials etc from any spills or damage. Preserve certificates and your child's drawings, or enhance the colours on your favourite photos. Laminating not only provides protection, but also adds structure to the document. Select the micron thickness to match the rigidity required. GBC laminators make it quick and simple.

1 Selecting the right laminator:



FUSION™ SERIES LAMINATORS

| Feature Comparison | High Volume Lamination | | Medium Volume Lamination | | | Low Volume Lamination | | | | | |
|--|------------------------|---------|--------------------------|---------|---------|-----------------------|---------|--------|--------|---------|---------|
| Model | 5100L | 5000L | 3100L | 3000L | 3000L | 1100L | 1100L | 1000L | 1000L | Inspire | Inspire |
| Max Document Size | A3 | A3 | A3 | A3 | A4 | A3 | A4 | A3 | A4 | A3 | A4 |
| Use | Large Office | | Small Office | | | Executive | | | | | |
| Usage | Everyday Use | | Moderate Use (Weekly) | | | Light Use (Monthly) | | | | | |
| PRODUCTIVITY / SPEED | | | | | | | | | | | |
| Warm Up time  | 1 min | 1 min | 1 min | 1.5 min | 1.5 min | 4 min | 4 min | 5 min | 5 min | 7 min | 10 min |
| Pouches / 10 min  | 40 | 33 | 26 | 16 | 16 | 10 | 10 | 10 | 10 | 8 | 8 |
| Max Pouch Thickness  | 250 mic | 250 mic | 175 mic | 125 mic | 125 mic | 125 mic | 125 mic | 75 mic | 75 mic | 75 mic | 75 mic |
| Easy Set Up | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Visual Ready Alert | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Audible Ready Alert | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | |
| Manual Release/Reverse | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | |
| Intelligent™ Power Off  | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | | |
| Touch Control | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | |
| Accurate Feed Guide | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | |
| Intelligent™ Status Alert | ✓ | ✓ | ✓ | ✓ | ✓ | | | | | | |
| Intelligent™ Pouch Reverse | ✓ | ✓ | | | | | | | | | |
| Interactive User Display | ✓ | ✓ | | | | | | | | | |
| Intelligent™ Pouch Select | ✓ | ✓ | | | | | | | | | |
| Intuitive Menu Selection | ✓ | | | | | | | | | | |
| Professional Controls | ✓ | | | | | | | | | | |
| See Page: | 24 | 24 | 25 | 25 | 25 | 26 | 26 | 26 | 26 | 26 | 26 |

Notes: All timings shown are approximate. On A3 machines laminating speed can be increased by up to 30% by using GBC HighSpeed™ Pouches (see page 28).

2 Selecting the right pouch:

What documents do you want to protect?

| | HighSpeed Pouch | Document Pouch | Matt Pouch | Card Pouch | PeelnStick Pouch | Organise Pouch |
|--------------------------------|-----------------|----------------|------------|------------|------------------|----------------|
| Reference materials | ✓ | ✓ | ✓ | ✓ | | |
| Everyday items | ✓ | ✓ | ✓ | | | |
| Labelling and for ID/ security | | ✓ | | ✓ | | |
| Signage | | | ✓ | | ✓ | |
| For outside use | | | ✓ | | | |
| Filing or presentation | | | | | | ✓ |

What thickness do you need?

| | Flexible | Semi Rigid | Rigid | Extra Rigid | Ultra Rigid |
|---|---------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| Pouch type | 2x75mic (150mic total) | 2x100mic (200mic total) | 2x125mic (250mic total) | 2x175mic (350mic total) | 2x250mic (500mic total) |
| Limited use or handling | ✓✓✓ | ✓✓ | ✓ | | |
| Frequent reference use | | ✓✓ | ✓✓✓ | ✓✓ | |
| Traning materials - medium to heavy usage | | | ✓✓ | ✓✓✓ | ✓✓ |
| Frequent handling & demonstration of quality e.g. restaurant menus | | | ✓ | ✓✓ | ✓✓✓ |

✓ Suitable ✓✓ Highly suitable ✓✓✓ Ideal

Extended warranty available on ALL laminators

Register your product online @ www.gbceurope.com/register



Large Office

FREQUENT USE

Lightning fast, fully adjustable, absolutely perfect results



Full Logic Premium LCD screen displays Manual Settings, Help Manual, Job Counter and a 'Countdown To Ready' Timer

Laminates up to 40 A4 sheets in 10 minutes



User-friendly digital control screen



Fusion™ 5100L A3

Lamination made super easy and super fast. Take the guess work out of laminating by choosing 'AutoSelect' or choose 'Manual' for when you want to be in control. Perfect for the office environment or copy shop with high frequency use.

- Laminate 1 A4 document in 75 seconds - 1 min warm up and just 15 seconds to go through from switching on
- Automatic self set for ANY pouch thickness
- In manual mode, switch instantly between pouch thicknesses plus optional "fine tune" temperature setting for total control
- Use with flexible 2 x 75 micron (150mic in total) to ultra rigid 2 x 250 micron (500mic in total) pouches and extra flexible 2 x 38 (75mic in total) micron with a carrier
- Automatic detection and reverse of a jam
- Accurate feeding feet - ensures no mistakes
- Energy saving - shuts off after 30 mins not in use



1-10 users

| Model | Lamination Width | Product Code |
|-----------------|------------------|--------------|
| Fusion 5100L A3 | A3 Max (324mm) | 4400752 |

Fusion™ 5000L A3

The choice is yours - lamination made super easy and super fast. Take the guess work out of laminating by choosing 'AutoSelect' or choose 'manual' for when you want to be in control. Perfect for the busy office environment with a mixture of novice to expert lamination experience.

- Laminate 1 A4 document in 78 seconds - 1 min warm up and just 18 seconds to go through from switching on
- Automatic self set for ANY pouch
- In manual mode switch instantly between pouch thicknesses
- Use with flexible 2 x 75 micron (150mic in total) to ultra rigid 2 x 250 micron (500mic in total) pouches
- Automatic detection and reverse of a jam
- Accurate feeding feet - ensures no mistakes
- Energy saving - shuts off after 30 mins not in use
- Digital control screen - for manual settings, use simple on-screen selections



1-10 users

| Model | Lamination Width | Code |
|-----------------|------------------|---------|
| Fusion 5000L A3 | A3 Max (324mm) | 4400751 |

| Description | 5100L | 5000L |
|-----------------------------|----------|----------|
| Warm up time | 1 min | 1 min |
| Pouches / 10 min | 40 | 33 |
| Max Pouch Thickness | 2x250mic | 2x250mic |
| Intellegent Pouch Reverse | Yes | Yes |
| Automatic Setting | Yes | Yes |
| Manual Control | Yes | Yes |
| Professional Adjust Control | Yes | - |
| Shut off after 30min | Yes | Yes |



Register your products online @ www.gbceurope.com/register



Mid to Large Office

MODERATE USE

Right first time in half the time




Anti Jam: Auto alert of misfed pouches and reverse button

Laminates up to 26 A4 sheets in 10 minutes



A3



Select micron thickness with the touch of a button



A3 A4

Fusion™ 3100L A3

Switch instantly between pouch thicknesses at a touch of a button. Quick and simple to use - FAST warm up and through put speed means you get the job done in half the time, with flawless results. Superb for the medium sized office where time is money.

- Laminate 1 A4 document in 81 seconds - 1 min warm up and just 21 seconds to go through
- Use with flexible 2 x 75mic (150mic total) up to extra rigid 2 x 175mic (350mic in total) pouches
- Accurate feeding feet - ensures no mistakes
- Auto alert beeps to warn if a pouch is being misfed - simply touch release button to quickly remove any misfed pouches
- Energy saving - shuts off after 30 mins not in use



1-5 users

| Model | Lamination Width | Code |
|-----------------|------------------|---------|
| Fusion 3100L A3 | A3 Max (324mm) | 4400750 |

Fusion™ 3000L A3/A4

Quick and simple to use - FAST warm up and through put speed means you get the job done in half the time. Fantastic for the busy small to medium office where efficiency matters.

- Quick and convenient laminator warms up in 90 seconds
- Laminates an A4 document with a 2 x 75 micron pouch in just over 30 seconds
- Use with flexible 2 x 75mic (150mic in total) up to rigid 2 x 125mic (250mic total) pouches
- Accurate feeding feet - ensures no mistakes
- Auto alert beeps to warn if a pouch is being misfed simply touch release button to quickly remove any misfed pouches
- Energy saving - shuts off after 30 mins not in use



1-5 users

| Model | Lamination Width | Code |
|-----------------|------------------|---------|
| Fusion 3000L A3 | A3 Max (324mm) | 4400749 |
| Fusion 3000L A4 | A4 Max (241mm) | 4400748 |

Easy to use, professional quality and twice as productive.

| Description | 3100L | 3000L |
|---------------------------|----------|----------|
| Warm up time | 1 min | 1.5 min |
| Pouches / 10 min | 26 | 16 |
| Max Pouch Thickness | 2x175mic | 2x125mic |
| Intellegent Pouch Reverse | Yes | Release |
| Automatic Setting | No | No |
| Manual Control | Yes | Yes |
| Shut off after 30mins | Yes | Yes |



Register your products online @ www.gbceurope.com/register



Home & Small Office

LOW VOLUME

Lamination doesn't get any simpler

Select pouch thickness with slider switch



A3 A4



Green light indicates when ready



A3 A4



Fusion™ 1100L A3/A4

Easy lamination - simply select the setting with one button!

- Select pouch thickness with a slider switch
- Warms up in 4 minutes and laminates an A4 document with a 2 x 75 rigid micron pouch in less than a minute
- Use with flexible 2 x 75mic (150mic in total) upto semi rigid 2 x 125mic (250mic in total) pouches
- Energy saving - shuts off after 30 mins not in use
- Press release button to quickly remove any misfed pouches
- Light and beep tells you when it's ready to laminate



1-2 users

| Model | Lamination Width | Product Code |
|-----------------|------------------|--------------|
| Fusion 1100L A3 | A3 Max (324mm) | 4400747 |
| Fusion 1100L A4 | A4 Max (241mm) | 4400746 |


A3 A4



Fusion™ 1000L A3/A4



Great for the home office with low usage. The stylish and compact design fits perfectly!

- Easy one step lamination - just turn it on
- Stylish and compact - unobtrusive and easy to store away
- Warms up in 5 minutes and laminates an A4 document in less than a minute
- Use with flexible 2 x 75mic (150mic in total) pouches
- Light tells you when it's ready to laminate



1-2 users

| Model | Lamination Width | Product Code |
|-----------------|------------------|--------------|
| Fusion 1000L A3 | A3 Max (324mm) | 4400745 |
| Fusion 1000L A4 | A4 Max (241mm) | 4400744 |



1 user

| Model | Lamination Width | Product Code |
|------------|------------------|--------------|
| Inspire A3 | A3 Max (324mm) | 4400305 |
| Inspire A4 | A4 Max (241mm) | 4400304 |

| Description | 1100L | 1000L | Inspire |
|-----------------------|----------|---------|---------|
| Warm up time | 4 min | 5 min | 7 min |
| Pouches / 10 min | 10 | 10 | 8 |
| Max Pouch Thickness | 2x125mic | 2x75mic | 2x75mic |
| Release | Yes | No | No |
| Shut off after 30mins | Yes | No | No |



Register your products online @ www.gbceurope.com/register

*1 year on Inspire



Laminating Consumables


HighSpeed™ Pouches

Lamination is easier with HighSpeed™ Laminating Pouches.

- Alignment guides* take the frustration out of centering documents
- Micron icons* identify pouch thickness enabling correct laminator settings
- Arrows* show which direction to load pouch into laminator, preventing misfeeds

All HighSpeed™ pouches feed on the long edge, saving time and money! Available in A4 size for use with A3 laminators only.

Offering features:



Faster & easier to use than ever!

| Description | Thickness | Code | Qty. |
|--------------------------|-----------|---------|------|
| A4 landscape (216x303mm) | 2x75 mic | 3747347 | 100 |
| A4 landscape (216x303mm) | 2x125 mic | 3747348 | 100 |

* All guides and arrows disappear after lamination

Document™ Pouches

The daily solution to protect, preserve and enhance valuable presentation pages, reference lists, product sheets, notices etc.

| Description | Thickness | Code | Qty. |
|-----------------------|-----------|----------|------|
| A2, gloss (426x600mm) | 2x80 mic | IB589782 | 100 |
| | 2x125 mic | IB589799 | 100 |
| A3, gloss (303x426mm) | 2x75 mic | 3200745 | 100 |
| | 2x125 mic | 3200725 | 100 |
| | 2x250 mic | 3740450 | 50 |
| A4, gloss (216x303mm) | 2x75 mic | 3740400 | 100 |
| | 2x100 mic | 3740306 | 100 |
| | 2x125 mic | 3200723 | 100 |
| | 2x250 mic | 3740449 | 50 |
| A5, gloss (154x216mm) | 2x75 mic | 3740451 | 100 |
| | 2x125 mic | 3200749 | 100 |
| A6, gloss (111x154mm) | 2x75 mic | 3743152 | 100 |
| | 2x125 mic | 3740442 | 100 |

Laminating Accessories

Create a professional finish for ID cards, badges and tags with these simple to use accessories.

| Description | Code | Qty. |
|--|----------|------|
| A Badge Clip - Metal clip & nylon strap | EH600000 | 100 |
| B Badge Clip - Metal clip & plastic strap | EH500000 | 100 |
| C Slot Punch for badge clips, 16x3mm | 1101667 | 1 |
| D 27" light weight chromium plated neckchain, 760mm | EB100000 | 100 |
| E Black leather straps for Luggage Tags, 120x10mm | EB510010 | 100 |



Ez-In Feature

Removing the frustration of document centering, the unique pouch corner seal ensures quick and accurate document placement every time. This feature is standard on all A3, A4 & A5 Document™ Pouches.

If you use it daily - Protect it!



Laminating Consumables

Silky, matt finish



Matt™ Pouches - For a silky, non glare finish

'Writable' and easy to clean. The non-reflective finish is ideal in bright light conditions or to avoid unsightly finger marks.

| Description | Thickness | Code | Qty. |
|---------------------------|-----------|---------|------|
| A4, matt (216x303mm) | 2x75 mic | 3747522 | 50 |
| A4, matt (216x303mm) | 2x125 mic | 3747524 | 50 |
| A3, matt (303x426mm) | 2x125 mic | 3747521 | 50 |
| Luggage, gloss (64x108mm) | 2x125 mic | 3740433 | 100 |

For filing

Organise™ Pouches - Pre-punched for instant filing

Filing and archiving are modern day office and home necessities. Universally pre-punched for 2 or 4 hole ring or lever arch binders.

| Description | Thickness | Code | Qty. |
|--------------------------------|-----------|---------|------|
| A4 oversize, gloss (228x303mm) | 2x75 mic | 3747515 | 25 |
| A4 oversize, gloss (228x303mm) | 2x125 mic | 3743156 | 100 |



Peel'nStick™ Pouches - For instant signage

The adhesive back makes it stick to glass, metal, fibreboard and most materials - ideal for instant professional signage requirements.

| Description | Thickness | Code | Qty. |
|-----------------------|-----------|---------|------|
| A4, gloss (216x303mm) | 2x75 mic | 3747527 | 25 |
| A4, matt (216x303mm) | 2x75 mic | 3747530 | 25 |
| A3, gloss (303x426mm) | 2x75 mic | 3747526 | 25 |



Card™ Pouches

For Identity Cards, Visitor Cards, Reference Cards, Luggage Cards, Membership Cards and many other Card types.

| Description | Thickness | Prod. Code | Qty. |
|--------------------------------|-----------|------------|------|
| Credit Card, gloss (54x86mm) | 2x125 mic | 3740300 | 100 |
| Business Card, gloss (60x90mm) | 2x125 mic | 3743157 | 100 |
| Badge, gloss (67x99mm) | 2x125 mic | 3743177 | 100 |
| Luggage, gloss (64x108mm) | 2x125 mic | 3740433 | 100 |



Binding doesn't get
any simpler!



Why Bind?

Binding a document says something about you - whether it's that all important sales proposal for a customer, or a legal document securely bound, for future reference. Select from the GBC range of binding styles and covers to make sure it represents you.

You only get one chance to make a first impression!

1 Which binding style?



CombBind®

The traditional way to bind - 21 hole punch pattern allows you to select spines from unique GBC ProCombs, standard combs or unique Zip comb finish.

- ProCombs are designed to use with QuickStep enabled binders - for optimal efficiency in binding
- Zipcombs - easily open and replace pages. Provides a professional, modern finish, see page 42 for more information
- All comb styles are great for photocopying and page turning



WireBind

The professional way to bind.

- Durable, robust metal wire spines with either 34 or 21 loops (designed for use on Multifunctional binders)
- Providing a secure binding wire with 360 degree turning capability - perfect if photocopying is required
- Ideal for documents which require a secure, non-editable closure



ClickBind™

The simple and editable way to bind.

- Click provides a modern finish to any document with the added benefit of easy page addition or removal when required
- Maximum impression with minimal effort
- Click provides 360 degree turning and is ideal for photocopying



ThermaBind™

The "Published Look" way to bind.

- Pages are held in place with adhesive inside the spine of the covers
- Front and back covers are supplied as one item - unique for ThermaBind
- Flat stack multiple copies and ideal for mailing



StripBind™

The most secure way to bind - great for legal or sensitive documents.

- Strip bind is tamper proof with a highly professional finish
- The preferred binding style for legal and financial areas
- Flat stack multiple copies and ideal for mailing



Machines/Combs See page: 34-36



Machines/Wire 34 See page: 37



Machines/Clicks See page: 38



Machines/Thermal covers 40 See page: 40



Machines/Strips See page: 40

2 Which Cover?

| Document | CombBind® | WireBind | ClickBind™ | ThermaBind™ | StripBind™ |
|--------------------|-----------|----------|------------|-------------|------------|
| Training material | ✓✓ | ✓✓✓ | ✓✓ | | |
| Reference Doc | ✓✓✓ | ✓✓ | ✓ | | |
| Marketing Strategy | | ✓✓ | ✓✓✓ | | ✓ |
| Sales Offer | | ✓ | ✓✓ | | ✓ |
| Annual Report | | ✓ | | ✓✓✓ | ✓✓ |
| Legal Document | | ✓ | | ✓✓ | ✓✓✓ |
| Front Cover | | | | | |
| HiClear™ | ✓ | ✓ | ✓ | ✓ | ✓ |
| ColourClear™ | ✓ | ✓ | ✓ | | |
| PolyClearView™ | | ✓ | ✓✓ | | ✓✓ |
| Back Cover | | | | | |
| LeatherGrain™ | ✓ | ✓ | ✓ | ✓ | ✓ |
| HighGloss™ | ✓ | ✓ | ✓ | ✓ | ✓ |
| LinenWeave™ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Eco-Series™ | | ✓ | ✓ | | ✓ |
| PVCOpaque™ | | ✓✓ | ✓✓ | | ✓✓ |
| PolyOpqaue™ | | ✓✓ | ✓✓✓ | | ✓✓ |

✓ Suitable

✓✓ Highly suitable

✓✓✓ Ideal

Extended Warranty available on ALL binders

Register your product online @ www.gbceurope.com/register



How to Choose a Binder

Selecting the right Comb Binder



C366E

NEW



C366



C450E



C340



C210E



C200E



C210



C200



C110



C100

| Feature Comparison | Heavy Use | | | | Moderate Use | | | | Light Use | |
|--------------------|--------------|------|-------|------|-----------------------|------|-------|------|---------------------|------|
| Model | C366E | C366 | C450E | C340 | C210E | C210 | C200E | C200 | C110 | C100 |
| Max Document Size | A4 | A4 | A4 | A4 | A4 | A4 | A4 | A4 | A4 | A4 |
| Use | Shared | | | | Personal & Shared | | | | Personal | |
| Usage | Everyday Use | | | | Moderate Use (Weekly) | | | | Light Use (Monthly) | |

| PRODUCTIVITY / SPEED | | | | | | | | | | |
|------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Punch Capacity (sheets) | 30 | 30 | 25 | 25 | 20 | 25 | 15 | 20 | 12 | 9 |
| Bind Capacity (sheets) | 450 | 450 | 450 | 450 | 450 | 450 | 330 | 330 | 195 | 160 |
| Electric Punch Assist | ✓ | | ✓ | | ✓ | | ✓ | | | |
| One Touch Punch | ✓ | | ✓ | | ✓ | ✓ | | | | |
| Tray Full Indicator | ✓ | | ✓ | | ✓ | ✓ | | | | |
| Jam Detect & Reverse | ✓ | | ✓ | | ✓ | ✓ | | | | |
| Low Force Punch | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Continuous Punch & Bind | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Edge Alignment Guide | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| ZipComb™ Compatible | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Quickstep™ WorkFlow | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Simple Comb Select | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| Intelligent™ Comb Opener | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| Intelligent™ Paper Count | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | | |
| Accurate Punch Centering | ✓ | ✓ | ✓ | ✓ | | | | | | |
| Intelligent™ Margin Control | ✓ | ✓ | | | | | | | | |
| Professional A5 Punch Adjust | ✓ | ✓ | | | | | | | | |



CombBind®



Simple, fast,
productive

MANUAL OR ELECTRIC PUNCH

Full width handle:
makes punching easy



C366

QuickStep



C366E

CombBind® C366E / C366

GBC's premium office binder featuring the QuickStep pro binding system. Perfect for the busy office environment.

- Unique comb opener sets margin and prevents combs from over opening
- QuickStep workflow process
- Unique paper separator: divides your pages into stacks of 30 to maximise punch efficiency
- Simple switch perfectly adjusts the punch for A4 or A5 size documents
- Auto Centering: positions the pages neatly, allowing perfect punching every time
- Binds A4, A5 & A3 Landscape sheets only



COMBINE WITH
GBC PROCOMBS
FOR MAXIMUM
PRODUCTIVITY



ZIP
COMPATIBLE



MAX. PUNCH
CAPACITY
(80gsm)



MAX. BIND
CAPACITY

| Model | Product Code |
|-------------------------------|--------------|
| GBC C366E (electric punching) | 2101435 |
| GBC C366 (manual punching) | 2101434 |

MANUAL OR ELECTRIC PUNCH

Full width handle:
makes punching easy



C340

QuickStep



C450E

CombBind® C340 / C450E

Combining simplicity with strength: these premium comb binding machines make the binding process easy, ensuring perfect results every time.

- Unique Paper Separator: divides your pages into stacks of 25 to maximise punch efficiency
- QuickStep workflow process
- Auto Centering: positions the pages for perfect punching
- Punches 25 pages
- Bind capacity up to 450 pages
- Binds A4 & A3 Landscape sheets only



COMBINE WITH
GBC PROCOMBS
FOR MAXIMUM
PRODUCTIVITY



ZIP
COMPATIBLE



MAX. PUNCH
CAPACITY
(80gsm)



MAX. BIND
CAPACITY

| Model | Product Code |
|-------------------------------|--------------|
| GBC C450E (electric punching) | 4400421 |
| GBC C340 (manual punching) | 4400420 |

Unique paper count and
punch alignment

NEW

ELECTRIC PUNCH

QuickStep

NEW CombBind® C210E

The binding solution for the busy office. Perfect for shared use with electric punching.

- Featuring punch alignment indicators to ensure accurate punching everytime
- QuickStep workflow process
- Paper Count function to maximise punching efficiency
- Intelligent comb opener
- Punches 20 pages
- Bind capacity up to 450 pages
- Binds A4 & A3 landscape only



COMBINE WITH
GBC PROCOMBS
FOR MAXIMUM
PRODUCTIVITY



ZIP
COMPATIBLE



MAX. PUNCH
CAPACITY
(80gsm)



MAX. BIND
CAPACITY

| Model | Product Code |
|-------------------------------|--------------|
| GBC C210E (electric punching) | 4401927UK |

Features Punch alignment -
No more mis-punched sheets

ELECTRIC PUNCH



NEW

QuickStep

NEW CombBind® C200E

Ideal binding solution for medium sized office. Perfect for shared use with electric punching.

- Featuring punch alignment indicators to ensure accurate punching everytime
- QuickStep workflow process
- Intelligent comb opener
- Punches 15 pages
- Bind capacity up to 330 pages
- Binds A4 & A3 landscape only



COMBINE WITH
GBC PROCOMBS
FOR MAXIMUM
PRODUCTIVITY



ZIP
COMPATIBLE



MAX. PUNCH
CAPACITY
(80gsm)



MAX. BIND
CAPACITY

| Model | Product Code |
|-------------------------------|--------------|
| GBC C200E (electric punching) | 7101045UK |



CombBind®



QuickStep

CombBind® C210

Ideal for offices with frequent binding requirements. Unique gravity fed low force paper punching makes binding documents easier and faster than ever.

- Low force "perfect" punch makes preparing your documents easier and faster than ever
- Colour coded document size guide for simple selection of the correct comb size
- The vertical punch profile allows easy paper alignment and accurate punching
- Intelligent comb opener: low profile makes it easy to load punched sheets into a comb
- Binds A4 & A3 Landscape sheets only



COMBINE WITH
GBC PROCOMBS
FOR MAXIMUM
PRODUCTIVITY



ZIP
COMPATIBLE



MAX. PUNCH
CAPACITY
(80gsm)



MAX. BIND
CAPACITY

| Model | Product Code |
|----------------------------|--------------|
| GBC C210 (manual punching) | 4401846 |



QuickStep

CombBind® C110

Ideal for offices with moderate binding requirements. Full-width handle to make paper punching smooth and effortless. Light-weight and compact, ideal for use anywhere, at any time. Easy to store when not in use.

- Low force punch makes preparing your documents easy
- Independent comb opener enables continuous punching and comb loading, for faster document finishing
- Colour coded document size guide for simple selection of the correct comb
- Binds A4 & A3 Landscape sheets only



COMBINE WITH
GBC PROCOMBS
FOR MAXIMUM
PRODUCTIVITY



ZIP
COMPATIBLE



MAX. PUNCH
CAPACITY
(80gsm)



MAX. BIND
CAPACITY

| Model | Product Code |
|----------------------------|--------------|
| GBC C110 (manual punching) | 4401844 |



QuickStep

CombBind® C200

Ideal for offices with regular binding requirements. With a unique low force punch and sheet alignment indicators, binding documents is easier than ever.

- No more mistakes: unique EasyView™ punch alignment indicators ensure sheets are perfectly positioned prior to punching
- Colour coded document size guide for simple selection of the correct comb size
- Intelligent comb opener: low profile makes it easy to load punched sheets into a comb
- Binds A4 & A3 Landscape sheets only



COMBINE WITH
GBC PROCOMBS
FOR MAXIMUM
PRODUCTIVITY



ZIP
COMPATIBLE



MAX. PUNCH
CAPACITY
(80gsm)



MAX. BIND
CAPACITY

| Model | Product Code |
|----------------------------|--------------|
| GBC C200 (manual punching) | 4401845 |



CombBind® C100

Ideal for the home or small office with occasional binding requirements. Compact, light-weight and easy to store.

- Low force punch makes preparing your documents easy
- Independent comb opener enables continuous punching and comb loading
- Binds A4 & A3 Landscape sheets only



ZIP
COMPATIBLE



MAX. PUNCH
CAPACITY
(80gsm)



MAX. BIND
CAPACITY

| Model | Product Code |
|----------------------------|--------------|
| GBC C100 (manual punching) | 4401843 |

| Description | C366E | C366 | C450E | C340 | C210E | C200E | C210 | C200 | C110 | C100 |
|-----------------------------|----------|------|----------|------|----------|----------|------|------|------|------|
| Punch Capacity | 30 | 30 | 25 | 25 | 20 | 15 | 25 | 20 | 12 | 9 |
| Bind Capacity | 450 | 450 | 450 | 450 | 450 | 330 | 450 | 330 | 195 | 160 |
| Max. Spine Size | 51mm | 51mm | 51mm | 51mm | 51mm | 38mm | 51mm | 38mm | 21mm | 19mm |
| Low Force | Electric | Yes | Electric | Yes | Electric | Electric | Yes | Yes | Yes | Yes |
| QuickStep Work Flow | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Document Measure Guide | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Intelligent Comb Process | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes |
| Accurate Punch Centring | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | No | No |
| Intelligent Paper Separator | Yes | Yes | Yes | Yes | Yes | No | No | No | No | No |
| Margin Adjust | Yes | Yes | Yes | No | No | No | No | No | No | No |



CombBind® Heavy Duty



ELECTRIC PUNCH




CombBind® C800Pro

A semi professional machine, combining electric punching with manual binding.

- Electric punch capacity: 20 sheets (80gsm)
- Binds up to 450 sheets (80gsm) – Using a 51mm comb
- 21 selector pins to accommodate any size paper
- Adjustable margin depth
- Robust aluminium construction
- Foot pedal included for optional hands free



| Model | Product Code |
|-------------|--------------|
| GBC C800Pro | IB275913 |



21 selector pins




CombBind® C250Pro

The C250Pro is a high volume comb binding machine ideal for everyday use.

- Punch Capacity: 20 sheets (80gsm)
- Binds up to 450 sheets (80gsm) – Using a 51mm comb
- 21 selector pins to accommodate up to A4
- Adjustable margin depth
- Robust aluminium construction
- Easy to access high volume clippings tray



| Model | Product Code |
|-------------|--------------|
| GBC C250Pro | IB271403 |



High volume clippings tray



CombBind® C150Pro

The C150Pro is a solid and robust comb binding machine, ideal for high volume use.

- Ideal for high volume use
- Punch Capacity: 20 sheets (80gsm)
- Binds up to 450 sheets (80gsm) – Using a 51mm comb
- Robust aluminium construction
- Easy to access high volume clippings tray



| Model | Product Code |
|-------------|--------------|
| GBC C150Pro | IB271106 |

| Description | C800 | C250 | C150 |
|------------------------|------|------|------|
| Punch Capacity | 20 | 20 | 20 |
| Bind Capacity | 450 | 450 | 450 |
| Max. Spine Size | 51mm | 51mm | 51mm |
| QuickStep work flow | Yes | No | No |
| Document measure guide | Yes | No | No |



WireBind



ELECTRIC PUNCH

The Professional way to bind.




WireBind W25E

From dividing the pages to centering the document and adjusting the settings, the W25E completes each binding stage in an entirely logical sequence.

- QuickStep WorkFlow Guide: for simple, intuitive operation
- Electric punch capacity: up to 25 sheets (80gsm)
- Binds up to 125 sheets (80gsm) – Using a 14mm wire
- Binds A5, A4 and A3 landscape documents
- Paper separating and auto centering as standard
- Solid construction provides longer life and greater durability
- Wire closure control

| Model | Product Code |
|------------------------------|--------------|
| GBC W25E (electric punching) | 4400427 |



QuickStep

WireBind W20

Featuring paper separating and auto centering as standard, the W20 makes the binding process easy and ensures perfect results every time.

- QuickStep WorkFlow Guide: for simple, intuitive operation
- Punch capacity: up to 20 sheets (80gsm)
- Binds up to 125 sheets (80gsm) – Using a 14mm wire
- Wire closure control

| Model | Product Code |
|---------------------------|--------------|
| GBC W20 (manual punching) | 4400426 |



QuickStep

WireBind W18

Featuring paper separating and auto centering as standard, the W18 is ideal for regular use.

- QuickStep WorkFlow Guide: for simple, intuitive operation
- Punch capacity: up to 18 sheets (80gsm)
- Binds up to 125 sheets (80gsm) – Using a 14mm wire
- Document separator

| Model | Product Code |
|---------------------------|--------------|
| GBC W18 (manual punching) | 2101440 |



QuickStep

With carry handle

WireBind W15

A compact and stylish general office wire binder. Ideal for everyday desktop binding.

- QuickStep WorkFlow Guide: for simple, intuitive operation
- Punch capacity: up to 15 sheets (80gsm)
- Binds up to 125 sheets (80gsm) – Using a 14mm wire
- Simple and easy to use controls
- Carry handle for portable binding

| Model | Product Code |
|---------------------------|--------------|
| GBC W15 (manual punching) | 4400402 |



| Description | W25E | W20 | W18 | W15 |
|-----------------------------|------|------|------|------|
| Punch Capacity | 25 | 20 | 18 | 15 |
| Bind Capacity | 125 | 125 | 125 | 125 |
| Max. Spine Size | 14mm | 14mm | 14mm | 14mm |
| Quickstep Work Flow | Yes | Yes | Yes | Yes |
| Document Measure Guide | Yes | Yes | Yes | Yes |
| Accurate Punch Centring | Yes | Yes | Yes | No |
| Intellegent Paper Separator | Yes | Yes | Yes | No |

Make your document look professional with a rigid front and back cover such as PolyOpaque.

Say something about you!



ClickBind™



Simple and editable binding

ELECTRIC PUNCH

NEW



MANUAL PUNCH

NEW



QuickStep

NEW ClickBind™ 150

Office Click Binding Machines. Recommended for medium to large offices with moderate usage.

- Feature an exclusive "GuideRight" paper alignment system to ensure accurate punching every time.
- No more mis-punched sheets!
- Punch capacity: up to 15 sheets (80 gsm)
- Bind up to 145 sheets (80 gsm) – Using a 16mm click
- Easy to add and delete pages using a ClickBind zipper



| Model | Product Code |
|---------------------------|--------------|
| GBC 150 (manual punching) | 4401929 |

QuickStep

NEW ClickBind™ 150E

Office Click Binding Machines. Recommended for medium to large offices with moderate usage.

- Feature an exclusive "GuideRight" paper alignment system to ensure accurate punching every time.
- No more mis-punched sheets!
- Punch capacity: up to 15 sheets (80 gsm)
- Bind up to 145 sheets (80 gsm) – Using a 16mm click
- Easy to add and remove pages at short notice using a ClickBind zipper



| Model | Product Code |
|--------------------------------|--------------|
| GBC 150E (electronic punching) | 4401930UK |



ClickMan

The perfect personal binder - quick and easy to use. Just insert your papers, slide the blue bar and your papers are perforated. Neat, round hole punching adds the perfect finish to the final document.

- Punch capacity: up to 6 sheets (80gsm)
- Binding capacity: 145 pages – Using a 16mm click
- Lightweight and compact design fits into most desk drawers
- Unique binding system with a round hole punch



| Model | Product Code |
|--------------|--------------|
| GBC ClickMan | CA610000 |

| Description | 150E | 150 | Clickman |
|----------------|------|------|----------|
| Punch Capacity | 15 | 15 | 6 |
| Bind Capacity | 145 | 145 | 145 |
| Spine Size | 16mm | 16mm | 16mm |



Multifunctional™




Optimise your binding choice. Get up to 4 different binding styles from one binder!



MultiBind 420

Versatile and robust manual office binding machine. Bind with Comb, 21 & 34 loop wire and Click.

- Punch capacity: up to 20 pages (80gsm) comb
- Punch capacity: up to 12 pages (80gsm) wire and click
- Binding capacity: 450 pages – Using a 51mm comb
- Binding capacity: 125 pages – Using a 14mm wire
- Binding capacity: 145 pages – Using a 16mm click




| Model | Product Code |
|-------------------|--------------|
| GBC MultiBind 420 | 4400435 |

MultiBind 230E / 230

Perfect for everyday office Comb and 21Wire Binding. Featuring paper separating and auto centering as standard, the MultiBind 230E & 230 make the binding process easy and ensure perfect results every time.

- QuickStep WorkFlow Guide: for simple, intuitive operation
- Punch capacity: up to 30 sheets (80gsm)
- Binds up to 450 pages using a 51mm comb or 125 pages with a 14mm wire21
- Solid construction provides longer life and greater durability



| Model | Product Code |
|-------------------------------|--------------|
| GBC MultiBind 230E (electric) | 4400424 |
| GBC MultiBind 230 | 4400423 |



MultiBind 320

A robust multifunctional machine ideal for a busy office.

- Punch capacity: up to 20 pages (80gsm)
- Binds up to 450 pages using a 51mm comb or 125 pages with a 14mm wire21




| Model | Product Code |
|-------------------|--------------|
| GBC MultiBind 320 | IB271076 |



MultiBind 212

A robust, yet light and compact dual function unit ideal for personal office use.

- Punch capacity: up to 12 pages (80gsm)
- Binds up to 145 pages using a 16mm comb or 125 pages with a 14mm wire21
- Fully portable and easy to store



| Model | Product Code |
|-------------------|--------------|
| GBC MultiBind 212 | IB275999 |

MultiBind 230E



MultiBind 230



With carry handle

MultiBind 208

A portable comb and 21 loop wire machine perfect for the home and small office.

- Punch capacity: up to 8 pages (80gsm)
- Binds up to 125 pages using a 14mm comb or 14mm wire21
- Desktop - lightweight design



| Model | Product Code |
|-------------------|--------------|
| GBC MultiBind 208 | 4400110 |

| Description | 420 | 230 | 230E | 320 | 212 | 208 |
|--------------|-----|-----|------|-----|-----|-----|
| Comb | Yes | Yes | Yes | Yes | Yes | Yes |
| Wire 21 loop | Yes | Yes | Yes | Yes | Yes | Yes |
| Wire 34 loop | Yes | No | No | No | No | No |
| Click | Yes | No | No | No | No | No |
| 4 hole | No | No | No | Yes | No | No |

Compatible with all binding covers.



ThermaBind®



Integral cooling tray:
bound documents can be left to cool to
avoid confusion with 'work in progress'



ThermaBind® T400

An executive thermal binding machine perfect for medium to high usage.

- Binding capacity up to 400 sheets (80gsm) – Using 40mm covers
- Audio and visual cycle complete signals
- Adjustable heat settings for perfect thermal binding results
- Auto shut down feature for extra safety
- Variable timer
- Extra wide binding channel for one large or smaller multiple documents
- Document support and integral cooling tray enables documents to be bound and cooled at the same time



| Model | Code |
|---------------------|---------|
| GBC ThermaBind T400 | 4400410 |

ThermaBind® T200

A perfect machine for general office use. The T200 can produce one 20mm (200 sheets) A4 document or multiple bind many smaller presentations simultaneously.

- Binding capacity: up to 200 sheets (80gsm) – Using 20mm covers
- Audio and visual cycle complete signals
- Fast binding with a fixed cycle time of 40 seconds
- Simple to operate controls
- Document support and integral (21mm) cooling tray



| Model | Code |
|---------------------|---------|
| GBC ThermaBind T200 | 4400408 |

ThermaBind® Accessories

Standard White Thermal Covers A4 150 mic PVC transparent front with satin white 240 gsm back.

| Spine | Sheet Cap. | Qty. | Satin White |
|--------|------------|------|-------------|
| 1.5 mm | 15 | 100 | IB370014 |
| 3 mm | 30 | 100 | IB370021 |
| 4 mm | 40 | 100 | IB370038 |
| 6 mm | 50 | 100 | IB370045 |
| 8 mm | 60 | 100 | IB370052 |
| 10 mm | 90 | 100 | IB370168 |
| 12 mm | 110 | 100 | IB370175 |
| 15 mm | 140 | 50 | IB370083 |
| 20 mm | 180 | 50 | IB370090 |
| 30 mm | 280 | 50 | IB370113 |

Business Line LeatherGrain™ Thermal Covers A4

150 mic PVC transparent front with 250 gsm LeatherGrain back.

| Spine | Sheet Cap. | Qty. | White | Black | Red | Royal Blue |
|--------|------------|------|----------|----------|----------|------------|
| 1.5 mm | 15 | 100 | IB451706 | IB451607 | IB451201 | IB451003 |
| 3 mm | 30 | 100 | IB451713 | IB451614 | IB451218 | IB451010 |
| 4 mm | 40 | 100 | IB451720 | IB451621 | IB451225 | IB451027 |
| 6 mm | 50 | 100 | IB451737 | IB451638 | IB451232 | IB451034 |



FileStrip™

2 Hole PVC FileStrip for ThermaBind™.
For subsequent archiving in 2 or 4 hole Ring Binders.

| Description | Qty. | Product Code | Colour |
|----------------------------|------|--------------|--------|
| ThermaBind FileStrips, PVC | 50 | IB412356 | White |



Clear Presentation Covers

i Choose the front and back cover to suit your style:

Front Cover

Clear: Perfect for showing off your document title page

Choose from:

- PVC clear
- Polypropylene clear

Back Cover

Opaque or solid covers are available in a variety of different colours and textures

Choose from:

- Cardboard
- PVC opaque
- Polypropylene opaque

The above opaque covers can also be used as front covers if you don't want your title page to be immediately on view

- **PVC covers** are tear resistant and available in clear and opaque in various thicknesses
- **Polypropylene covers** are tougher, stylish, modern and are made off 100 % post-consumer recycled material
- **Cardboard covers** come in a range of finishes and textures to give a traditional appeal to a document presentation where touch, feel and colour are important



HiClear - Ideal for title pages

HiClear™

Transparent covers ideal for your title page. Made from durable PVC – available in A4, A3 and A5 in various gauges. Available in Clear or Super Clear Finish.

| Description | Size | Qty. | Clear | Super Clear |
|-------------|------|------|-----------|-------------|
| 150 micron | A4 | 50 | 41600E | 41601E |
| 150 micron | A4 | 100 | CE011580F | CE011580E |
| 180 micron | A4 | 100 | CE011880E | - |
| 200 micron | A4 | 100 | CE012080F | CE012080E |
| 240 micron | A4 | 100 | - | CE012480 |
| 250 micron | A4 | 50 | 41605E | 41606E |
| 300 micron | A4 | 100 | CE013080E | - |
| 150 micron | A3 | 100 | CF121880 | - |
| 240 micron | A3 | 100 | 78500306 | - |
| 180 micron | A5 | 100 | 4400024 | - |



PolyClearView™

Tough and modern PolyClearView is a robust semi-clear solution to protect title pages.

The textured finish reduces glare. Made from tough, recyclable polypropylene. Size A4.

| Description | Qty. | Frosted Clear | Frosted Clear/Matt |
|-------------|------|---------------|--------------------|
| 200 micron | 100 | 2100536E | - |
| 300 micron | 25 | IB386794 | - |
| 300 micron | 100 | IB386848 | - |
| 350 micron | 100 | - | IB387166 |
| 450 micron | 50 | IB387159 | - |

ColorClear™

Perfect for adding some colour to the front of a document whilst still being able to see the title page.
PVC with medium weight. Size A4, 100 pcs.

| Description | Blue | Red | Green | Yellow | Smoke | Assorted* |
|-------------|-----------|-----------|-----------|-----------|-----------|-----------|
| 180 micron | CE011820E | CE011830E | CE011840E | CE011860E | CE011850E | 2101619E |

*Assorted pack contains 25x blue, red, green and yellow.





Binding Supplies



CombBind® Accessories

ProComb

QuickStep

Avoid frustration and find the correct sized comb to bind your documents with GBC ProComb.

- Choose from 9 comb sizes using the colour coded system
- Premium matt textured finish, enables you to create stylishly bound, editable documents quickly and simply
- Can be used with all binding machines, but work best on the GBC 'QuickStep' comb binders for maximum productivity

ProCombs, A4

| Capacity | Sheet Cap. | Qty. | Black | White |
|----------|------------|------|---------|---------|
| 6mm | 25 | 100 | 4400319 | 4400320 |
| 8mm | 45 | 100 | 4400321 | 4400322 |
| 10mm | 60 | 100 | 4400323 | 4400324 |
| 12mm | 90 | 100 | 4400325 | 4400326 |
| 16mm | 120 | 100 | 4400327 | 4400328 |
| 19mm | 160 | 100 | 4400329 | 4400330 |
| 25mm | 225 | 50 | 4400331 | 4400332 |
| 38mm | 330 | 50 | 4400333 | 4400334 |
| 51mm | 450 | 50 | 4400335 | 4400336 |

ZipCombs, A4

Create professionally bound, editable documents. Reusable combs can be opened and closed with a clever, hand-held zipper tool included to add or remove pages on the spot.

| Capacity | Sheet Cap. | Qty. | Black |
|----------|------------|------|---------|
| 8mm | 45 | 50 | 4400316 |
| 12mm | 90 | 50 | 4400317 |
| 16mm | 140 | 50 | 4400318 |

FileStrip™

Use the convenient FileStrip™ for subsequent archiving in 2 or 4 hole Ring Binders. 21 hole. Universally punched for CombBind & WireBind21.

| Description | Qty. | Product Code | Colour |
|-----------------|------|--------------|--------|
| FileStrips, PVC | 100 | IB410215 | Clear |
| FileStrips, PP | 100 | IB195020 | Clear |


Combs, A4

| Capacity | Sheet Cap. | Qty. | White | Black | Red | Blue |
|-----------|------------|------|---------|---------|---------|---------|
| 6mm | 25 | 100 | 4028193 | 4028173 | 4028213 | 4028233 |
| 8mm | 45 | 100 | 4028194 | 4028174 | 4028214 | 4028234 |
| 10mm | 65 | 100 | 4028195 | 4028175 | 4028215 | 4028235 |
| 12mm | 95 | 100 | 4028197 | 4028177 | 4028217 | 4028237 |
| 14mm | 125 | 100 | 4028198 | 4028178 | 4028218 | 4028238 |
| 16mm | 145 | 100 | 4028610 | 4028600 | 4028660 | 4028620 |
| 19mm | 165 | 100 | 4028611 | 4028601 | 4028661 | 4028621 |
| 22mm | 195 | 100 | 4028612 | 4028602 | 4028662 | 4028622 |
| 25mm | 225 | 50 | 4028202 | 4028182 | 4028222 | 4028242 |
| 28mm | 240 | 50 | 4028203 | 4028183 | - | - |
| 32mm Oval | 280 | 50 | 4028204 | 4028184 | - | - |
| 38mm Oval | 330 | 50 | 4028205 | 4028185 | - | - |
| 45mm Oval | 390 | 50 | 4028206 | 4028186 | - | - |
| 51mm Oval | 450 | 50 | 4028207 | 4028187 | - | - |

WireBind Accessories

A4 binding wires

- 34 Loops 3:1 pitch



| Capacity | Sheet Cap. | Qty. | White | Black | Silver |
|----------|------------|------|----------|----------|----------|
| 5mm | 35 | 100 | 47901E | 47900E | 2101007E |
| 6mm | 55 | 100 | RG810470 | RG810410 | RG810497 |
| 8mm | 70 | 100 | RG810570 | RG810510 | RG810597 |
| 9.5mm | 85 | 100 | RG810670 | RG810610 | RG810697 |
| 11mm | 100 | 100 | RG810770 | RG810710 | RG810797 |
| 12.5mm | 115 | 100 | RG810870 | RG810810 | RG810897 |
| 14mm | 125 | 100 | RG810970 | RG810910 | RG810997 |

FileStrip™

Use the convenient FileStrip™ for subsequent archiving in 2 or 4 hole Ring Binders. 34 Loops 3:1 pitch.

| Description | Qty. | Product Code | Colour |
|--------------------------|------|--------------|--------|
| WireBind FileStrips, PVC | 100 | IB184994 | Clear |



21 LOOP WIRE

A4 binding wires - 21 Loop

Exclusively for use with GBC MultiFunctional machines

| Capacity | Sheet Cap. | Qty. | White | Black | Silver |
|----------|------------|------|----------|----------|----------|
| 6 mm | 55 | 100 | IB165085 | IB165023 | IB160431 |
| 8 mm | 70 | 100 | IB165184 | IB165122 | IB160639 |
| 10 mm | 85 | 100 | IB165283 | IB165221 | IB160837 |
| 12 mm | 100 | 100 | IB165382 | IB165320 | IB161230 |
| 14 mm | 130 | 100 | IB165481 | IB165429 | IB161438 |



Opaque Presentation Covers



LinenWeave™

The Professional 'Feel' with a classic, natural fibre look - and a professional colour palette to match - LinenWeave is the perfect companion to any report. Size A4, 100 pcs.

| Description | White | Black | Royal Blue | Red |
|-------------|----------|----------|------------|----------|
| 250 gsm | CE050070 | CE050010 | CE050029 | CE050030 |



Leather 'Look' Finish

LeatherGrain™

Leather 'Look' Finish range that offers the look and feel of real leather. At 250gsm these covers provide exceptional durability and quality. Size A4, 100 pcs.

| Description | White | Black | Navy Blue | Royal Blue | Blue | Wedgewood |
|-------------|----------|----------|-----------|------------|----------|-----------|
| 250 gsm | CE040070 | CE040010 | CE040025 | CE040029 | CE040020 | CE040021 |

| Description | Red | Dark Red | Burgundy | Dark Green | Ivory | Dark Grey |
|-------------|----------|----------|----------|------------|----------|-----------|
| 250gsm | CE040031 | CE040030 | CE040032 | CE040045 | CE040065 | CE040055 |

Also available in A3 black, item number T22410029 and A5 black, item number 4400017.

PolyOpaque™

Made from high quality polypropylene. spill proof, strong, durable and recyclable cover with a slight 'sand' grain on one side and completely smooth on the reverse. Size A4, 100 pcs.

| Description | White | Black | Blue | Dark Red |
|-------------|----------|----------|----------|----------|
| 300 micron | IB386817 | IB386831 | IB386800 | IB387289 |

HiGloss™

Bright and popular smooth hi-gloss finish that really stands out. Size A4, 100 pcs

| Description | White | Black | Red | Green | Blue |
|-------------|----------|----------|----------|----------|----------|
| 250 gsm | CE020071 | CE020010 | CE020030 | CE020040 | CE020020 |

PVCOpaque™

PVC Opaque is a strong colour, scratch and tear-resistant cover with a matt finish. Size A4, 100 pcs.

| Description | White | Black | Dark Blue |
|-------------|---------|---------|-----------|
| 300 micron | KV90183 | KV99033 | KV50063 |

Recycled Covers

GBC Eco-friendly recycled covers are made from 100% post consumer waste. They are available in a choice of natural earth tones. Size A4, 100 pcs.

| Description | Natural | Red | Brown | Green |
|-------------|---------|---------|---------|---------|
| 300 micron | 4400004 | 4400005 | 4400006 | 4400007 |

Eco-Series™

